POLYMER COMMUNICATIONS AUTHOR INDEX VOLUME 26 1985

Adachi, Keiichiro,: *see* Moriya, Satoru, 235
Adhikari, Mukti Sadhan; Banerjee, Monoranjan and Konor, Ranajit S.: Number of latex particles formed per unit volume of the aqueous phase at 100% conversions in aqueous and emulsion polymerizations of vinyl monomers, 181
Adzuma, Shuji,: *see* Nishimoto, Sei-ichi, 292
Agarwal, Radha,: *see* Varma, D. S., 346
Allain, C.: *see* Gauthier-Manuel, B., 210
Amaya, Naoyuki: *see* Otsu, Takayuki, 367
Ambari, A.: *see* Gauthier-Manuel, B., 210
Amiel, C.: *see* Gauthier-Manuel, B., 210
Angiolini, Luigi; Ghedini, Nadia and Tramontini, Maurilio,: The Mannich bases in polymer synthesis: 10. Synthesis of poly(β-ketothioethers) and their behaviour towards hydroperoxide reagents, 218
Aoki, Toshiki,: *see* Kawakami, Yuhsuke, 133
Apicella, A.: *see* Narkis, M., 339
Arends, J.: *see* Kip, G. A. M., 215
Arends, J.: *see* Busscher, H. J., 252
Arustamyan, S. S.: *see* Sergeyev, V. A., 365
Avramova, N.: *see* Fakirov, S., 26

Bailey, R. T., Cruickshank, F. R., McLeod, A., Pugh, D. and Faraday, A. G.: Thermal lens measurements of thermal conductivity and orientation in poly(ethylene terephthalate), 23
Bakauova, Z. Kh.: *see* Bekturov, E. A., 81
Bakhshaee, N., Pethrick, R. A., Rashid, H. and Sherrington, D. C.: Encapsulation of carbon blacks into suspension polymerized copolymers, 185
Balta Calleja, F. J.: *see* Martinez-Salazar, J., 57
Banerjee, Monoranjan,: *see* Adhikari, Mukti Sadhan, 181
Batchelder, D. N.: *see* Galiotis, C., 354
Bauer, Barry J.: *see* Wu, Wen-li, 39
Bechev, C. and Mishinev, J.: Crystallization behaviour of polypropylene dye–caprolactam system, 118
Bekturov, E. A., Kudaibergenov, S. E., Bakauova, Z. Kh., Ushanov, U. Zh. and Kanapyanova, G. S.: A study of the complexation between poly(ethylene glycol) and sodium thiocyanate, 81
Belanger, P. A.: *see* Boulay, R., 69
Bell, J. P.: *see* Narkis, M., 339
Belorgey, G., Soum, A. and Hogen-Esch, T. E.: Study of thermal properties of stereoregular poly(2-isopropenyl pyridine) oligomers and polymers, 315
Benedi, Pilar: *see* Madruga, Enrique Lopez, 342
Berger, Joseph,: Light-sensitive unsaturated polyamide-imides, 11
Berti, C.: *see* Pilati, F., 280
Bezwada, R. S. and Stivala, S. S.: Synthesis and characterization of model comb-branched polyurethanes: 1. Synthesis of model comb-branched polyurethanes, 84
Bezwada, R. S. and Stivala, S. S.: Synthesis and characterization of model comb-branched polyurethanes: 2. Dilute solution and viscoelastic properties, 91
Biswas, Mukul,: *see* Haque, Shah A., 122
Botto, P.: *see* Danusso, F., 221
Boulay, R., Drouin, B., Gagnon, R., Belenger, P. A. and Cielo, P.: Far-infrared moisture monitoring in polymeric composites, 69
Brack, Andre and Trudelle, Yves,: Molecular weight determination of polypeptides from viscosity measurements, 369
Briscoe, B. J. and Nosker, R. W.: The flow stress of high density polyethylene at high rates of strain, 307
Brown, D. J.: Molecular orientation and strain in hot-drawn poly(ethylene terephthalate), 42
Burchard, Walter,: *see* ter Meer, Hans-Ulrich, 273
Busscher, H. J.: *see* Kip, G. A. M., 215
Busscher, H. J., Hoogsteen, W., Dijkema, L., Sawatsky, G. A., van Pelt, A. W. J., de Jong, H. P., Challa, G. and Arends, J.: Surface free energies and surface compositions of poly(vinyl chloride)/poly(methyl methacrylate) polymer blends, 252

Cameron, G. Gordon: *see* de Carvalho, Laura H., 226
Candau, Sauveur,: *see* Mallo, Paul, 232
de Carvalho, Laura H., Rudin, Alfred and Gordon Cameron, G.: Non-ionic aqueous dispersion polymerization of styrene, 226
Castro, J. M. and Macosko, C. W.: A note on the paper viscosity changes during urethane polymerization with phase separation, 158
Ceccorulli, G.: *see* Pizzoli, M., 107
Challa, G.: *see* Knol, K. E., 71
Challa, G.: *see* Busscher, H. J., 252
Chanzy, Henri D.: *see* Smith, Paul, 258
Chaouat-Sibony, S.: *see* Narkis, M., 339
Chiang, Teh-Chang and Xia, Zhen-Bang,: Coloured polymers: copolymerization of 4-phenylazophenyl methacrylate with vinyl monomers, 364
Chielens, J.-C.: *see* Poulaert, B., 132
Chiu, Hsien Tang; Tsutsui, Tetsuo and Saito, Shogo,: Effect of annealing on electronic conduction in poly(*p*-phenylene), 61
Cheradame, Herve,: *see* Mitiakoudis, Anastassios, 246
Cielo, P.: *see* Boulay, R., 69
Clark, J. N., Herring, F. G. and Jagannathan, N. R.: Application of cross-polarization and magic-angle sample spinning n.m.r. techniques to poly(aryl-ether-ketone), 329
Clarke, J. A.: An ageing effect in cured epoxy castings relevant to fracture toughness testing, 113
Clarson, S. J.: *see* Garrido, L., 53
Clarson, S. J.: *see* Garrido, L., 55
Clemons, J. M.: *see* Crouse, D. J., 260
Cohen, Claude,: *see* Maloo, Paul, 232
Comyn, J., Cope, B. C. and Werrett, M. R.: A novel method for the determination of permeation rates in polymer films, 294
Cope, B. C.: *see* Comyn, J., 294
Corradini, Paolo; Guerra, Gaetano; Jama, Mohamud A.; Zhi, Gong and Tuzi, Angela,: Configurational and conformational requirements for an eventual 'back-biting' of the propagating species in the diolefin polymerization, 175
Cowie, J. M. G.: *see* Lee, Michael, 66
Cowie, J. M. G. and Martin, Agnes C. S.: Ionic conductivity of poly(diethoxy(3) methyl itaconate) containing lithium perchlorate, 298
Crouse, D. J., Penn, B. G., Daniels, J. G., Ledbetter III, F. E. and Clemons, J. M.: Thermogravimetric analysis of silicon carbides–silicon nitride precursors: polycarbosilazane derived from tris(*N*-methylamino)phenylsilane, 260
Cruickshank, F. R.: *see* Bailey, R. T., 23

Dalton, Larry R.: *see* Nalwa, Hari S., 240
Daniels, J. G.: *see* Crouse, D. J., 260
Danusso, F., Tieghi, G. and Botto, P.: Granular homocomposites of compression moulded poly(methyl methacrylate) beads, 221
Darlington, Michael W.: *see* Hutley, Trevor J., 264
Davies, G. R. and Jakeways, R.: The meridional X-ray diffraction pattern of oriented liquid crystal copolymers, 9
Davis, D. D.: *see* Lovinger, Andrew J., 322
Dawkins, J. V.: *see* Harrison, E. G., 194
Dekkers, M. E. J., Dortmans, J. P. M. and Heikens, D.: The effect of a rubbery interfacial layer on the tensile behaviour of polystyrene–glass bead composites, 145
Delides, C. G. and Stergiou, A. C.: The Gruneisen constant of crosslinked polysoloxane, 168
Deopura, B. L.: *see* Mishra, S. P., 5
Dijkema, L.: *see* Busscher, H. H., 252
DiMarzio, Edmund A.: *see* Gaylord, Richard J., 337
Dmitruk, N. V.: *see* Shilov, V. V., 28
Dortmans, J. P. M.: *see* Dekkers, M. E. J., 145
Doyle, Stephen E.; Mahboubian-Jones, G. M. B. and Pethrick, Richard A.: Positron annihilation studies of poly(pyrrole) films, 262
Drouin, B.: *see* Boulay, R., 69

Eastmond, G. C. and Phillips, D. G.: Use of an etch technique to observe morphologies in polycarbonate-containing graft copolymers and their blends, 98
Erman, Burak and Monnerie, Lucien,: Segmental orientation in real networks, 167
Evans, C. W.: *see* Manley, T. R., 312

Faingold-Murshak, Violetta and Karvaly, Bela,: Halogenated poly(acetylene) derivatives by catalysed dehydrohalogenation of carbochain halopolymers in non-aqueous media, 358
Fakirov, S.: Heterochemical healing in linear polycondensates, 137
Fakirov, S., Avramova, N., Tidick, P. and Zachmann, H. G.: Determination of the equilibrium melting temperature of nylon-11 by means of the Gibbs–Thomson equation, 26
Fanconi, Bruno M.: *see* Reneker, Darrell H., 332
Faraday, A. G.: *see* Bailey, R. T., 23
Fatiadi, Alexander J.: *see* Fletcher, Robert, A., 270
Ferguson, Roderick,: *see* Lee, Michael, 66
Fleischer, G.: Studies of diffusion of benzene–cyclohexane and benzene–toluene

mixtures in polyethylene using the pulsed field gradient n.m.r. technique, 20
Fleischer, G.: Self-diffusion of long-chain branched polyethylenes in the melt, 359
Fletcher, Dianne P. and Klein, Jacob,: Temperature dependence of the diffusion coefficient of entangled linear and star-branched polymers, 2
Fletcher, Robert A. and Fatiadi, Alexander J.: Laser ionization mass spectrometry of poly(4-vinylpyridine), 270

Gagnon, R.: *see* Boulay, R., 69
Galina, Henryk,: *see* Walczynski, Bogdan, 276
Galiotis, C., Robinson, I. M., Young, R. J., Smith, B. J. E. and Batchelder, D. N.: Strain dependence of the Raman frequencies of a Kevlar 49 fibre, 354
Gan, L. M. and Koh, L. L.: A discussion of the derivation of molecular weight distribution functions of linear step-growth polymerization, 76
Gandini, Alessandro,: *see* Mitiakoudis, Anastassios, 246
Garcia Pena, J.: *see* Martinez-Salazar, J., 57
Gargallo, Ligia and Radic, Deodata,: Polymer cosolvent system V. Influence of the binary solvent on the preferential adsorption behaviour of poly(vinyl-pyrrolidone), 149
Garrido, L., Mark, J. E., Clarson, S. J. and Semlyen, J. A.: Studies of cyclic and linear poly(dimethylsiloxanes). 16. Trapping of cyclics present during the end-linking of linear chains into network structures, 53
Garrido, L., Mark, J. E., Clarson, S. J. and Semlyen, J. A.: Studies of cyclic and linear poly(dimethylsiloxanes): 17. Elastomeric properties of model PDMS networks containing either cyclics of linear chains as siluent, 55
Gauthier-Manuel, B., Ambari, A., Allain, C. and Amiel, C.: Evolution of the permeability during the sol–gel transition, 210
Gaylord, Richard; DiMarzio, Edmund A.; Lee, Andre and Weiss, George, H.: The relaxation of an unattached chain in a crosslinked network: A span analysis of reptation, 337
Ghedini, Nadia,: *see* Angiolini, Luigi, 218
Gilbert, D.: *see* Kinloch, A. J., 290
Greidanus, F. J. A. M.: *see* Meijer, E. W., 45
Guerra, Gaetano,: *see* Corradini, Paolo, 175

Halary, J. L., Ubrich, J. M., Monnerie, L., Yang, H. and Stein, R. S.: Isotope effects on the phase separation in polystyrene–poly(vinylmethylether) blends, 73
Haque, Shah A. and Biswas, Mukul,: Vinyl polymerization by carbon black III: Some properties of graft composites from *N*-vinylcarbazole–carbon black polymerization system, 122
Harrison, E. G., Dawkins, J. V., Wetton, R. E.: Void generation in partially fused unplasticized poly(vinyl chloride), 194
Harrison, I. R., Weaver, T. J. and Runt, J.: The influence of molecular weight on the swelling of solution-crystallized polyethylene, 244
Hay, J. N., Kemmish, D. J., Langford, J. I. and Rae, A. I. M.: The structure of crystalline poly(ether ketone), 283
Havinga, E. E.: *see* Knol, K. E., 71
Heckman, W.: *see* Ramsteiner, F., 199
Heikens, D.: *see* Dekkers, M. E. J., 145
Herring, F. G.: *see* Clark, J. N., 329
Hertzberg, Richard W.: A fracture mechanics perspective on the failure of plastic pipe, 38
Higgins, J. S.: *see* Roots, J., 229
Hirooka, Masaaki,: Alkoxy-substituent effect of poly(*p*-phenylene vinylene) conductivity, 362
Hisada, Hiorfumi,: *see* Kawakami, Yuksuke, 133
Hogen-Esch, T. E.: *see* Belorgey, G., 315
Hoogsteen, W.: *see* Busscher, H. J., 252
Hori, Y.: *see* Sakaguchi, M., 142
van Horssen, L. W.: *see* Knol, K. E., 71
Hutley, Trevor J. and Darlington, Michael W.: Further observations on impact strength–d.s.c. correlation in mineral-filled polypropylene, 264

Iijima, Toshiro,: *see* Nakanishi, Tadashi, 300
Ikeda, Koji,: *see* Ohyanagi, Manshi, 249
Imai, Kiyokazu,: *see* Tezuka, Yasuyuki, 327
Inabe, T.: *see* Wynne, Kenneth J., 162
Ishii, Fumiaki,: *see* Mitchell, Geoffrey R., 34
Ito, Ryoko,: *see* Suto, Shinichi, 335

Jadhav, J. Y.: Preparation of silicon-containing polymers: 6. Mechanical and electrical properties of organosilicon aramids, 286
Jagannathan, N. R.: *see* Clark, J. N., 329
Jakeways, R.: *see* Davies, G. R., 9
Jama, Mohamud A.: *see* Corradini, Paolo, 175
Jamieson, Alex M.: *see* Lee, Michael, 66
Jamieson, A. M.: *see* Venkataswamy, K., 101
de Jong, H. P.: *see* Busscher, H. J., 252
Kaeriyama, Kyoji,: *see* Tanaka, Susumu, 303
Kagiya, Tsutomu,: *see* Sei-ichi, Nishimoto, 292
Kalarz, Bozena N.: *see* Walczynski, Bogdan, 276
Kanai, Hiroyuki,: *see* Ohyanagi, Manshi, 249
Kanapyanova, G. S.: *see* Bekturov, E. A., 81
Kaneto, Keiichi,: *see* Satoh, Masaharu, 356
Karasawa, Mikio,: *see* Suto, Shinichi, 335
Karvaly, Bela,: *see* Faingold-Murshak, Violetta, 358
Kashiwabara, H.: *see* Sakaguchi, M., 142
Katayama, Yoshihito,: *see* Ohyanagi, Manshi, 249
Kawakami, Yuhsuku; Aoki, Toshiki; Hisada, Hiorfumi; Yamamura, Yoshihiro and Yamashita, Yuya,: Poly(*p*-disiloxane substituted styrene)s as materials for oxygen permeable membranes, 133
Keller, Teddy M. and Price, Thomas R.: Polymerization of polysulphone phthalonitriles, 48
Kemmish, D. J.: *see* Hay, J. N., 283
Kinloch, A. J., Gilbert, D., Shaw, S. J.: A meniscus instability mechanism for ductile crack growth in epoxy polymers, 290
Kinpara, H.: *see* Sakaguchi, M., 142
Kip, G. A. M., Busscher, H. J., van Silfhout, A. and Arends, J.: Surface layer relaxation in poly(methyl methacrylate) during n-propanol adsorption and desorption: an ellipsometric study, 215
Klein, Jacob,: *see* Fletcher, Dianne P., 2
Knol, K. E., van Horssen, L. W., Challa, G. and Havinga, E. E.: Synthesis, cross-linking and electrical conductivity of poly-1,8-nonadiyne, 71
Koh, L. L.: *see* Gan, L. M., 76
Komiyama, Jiro,: *see* Nakanishi, Tadashi, 300
Konar, Ranajit S.: *see* Adhikari, Mukti Sadhan, 181
Kotaka, Tadao,: *see* Moriya, Satoru, 235
Koyama, Noboru; Sekiyama, Yasunori; Ueno, Yukihiko and Sekine, Yoshiro,: Synthesis of polyorganosiloxane containing amino groups, 139
Kratochvil, Pavel; Strakova, Dagmar and Stejskal, Jaroslav,: Precise determination of small differences in copolymer composition by differential refractometry, 202
Kudaibergenov, S. E.: *see* Bekturov, E. A., 81
Kurita, Keisuke and Murakoshi, Hideyuki,: Polymers based on *p*-aminophenol: 4. Synthesis and properties of poly-amide-imide-urethanes from 4-carboxy-*N*-(*p*-hydroxy-phenyl) phthalimide, 179

Langford, J. I.: *see* Hay, J. N., 283
Ledbetter III, F. E.: *see* Crouse, D. J., 260
Lee, Andre: *see* Gaylord, Richard J., 337
Lee, Michael; Ferguson, Roderick; Jamieson, Alex M.; Simha, R. and Cowie, J. M. G.: A photon correlation spectroscopy study of poly(di-n-butyl itaconate) near T_g, 66
de Leeuw, D. M.: *see* Meijer, E. W., 45
Legras, R.: *see* Poulaert, B., 132
de Lief de Meijer, H. J.: *see* Meijer-Veldman, M. E. E., 200
Lipatov, Yu. S.: *see* Shilov, V. V., 28
Lotan, Noah,: Structured, non-aqueous salt solutions: A class of polymer solvents, 110
Lovinger, Andrew J. and Davis, D. D.: Single crystals of poly(ether-ether-ketone), 322

MacKerron, D. H.: Infra-red evidence of tie molecules in oriented polyamide films, 130
Macosko, C. W.: *see* Castro, J. M., 158
Madruga, Enrique Lopez; Roman, Julio San and Benedi, Pilar,: Radical copolymerization of acrylic monomers: 9. High conversion polymerization of methyl methacrylate in the presence of low concentrations of methyl α-*p*-substituted benzyl acrylates and poly(octamethylene terephthalate), 342
Magoshi, Jun; Magoshi, Yoshiko and Nakamura, Shigeo,: Physical properties and structure of silk: 9. Liquid crystal formation of silk fibroin, 60
Magoshi, Jun; Magoshi, Yoshiko and Nakamura, Shiego,: Physical properties and structure of silk: 10. The mechanism of fibre formation from liquid silk of silkworm *Bombyx mori*, 309
Magoshi, Yoshiko,: *see* Magoshi, Jun, 60
Magoshi, Yoshiko,: *see* Magoshi, Jun, 309
Mahboubian-Jones, G. M. B.: *see* Doyle, Stephen E., 262
Mahmud, N. A.: *see* Merrill, E. W., 105
Malhotra, Bansi D. and Pethrick, Richard A.: Positron annihilation in 4-vinyl pyridine methyl methacrylate copolymer, 14
Mallo, Paul; Candau, Sauveur and Cohen, Claude,: Extent and effects of hydrolysis in polyacrylamide gels, 232
Mandel, M.: *see* Wijmenga, S. S., 172
Manley, T. R. and Evans, C. W.: The rubber retraction test for the measurement of the dispersion of fillers in rubber, 312
Mark, J. E.: *see* Garrido, L., 53
Mark, J. E.: *see* Garrido, L., 55
Marks, T. J.: *see* Wynne, Kenneth J., 162
Martin, Agnes C. S.: *see* Cowie, J. M. G., 298

Martinez-Salazar, J., Garcia Pena, J. and Balta Celleja, F. J.: On the relation between hardness and intermolecular forces in polyethylene crystals, 57
Masoni, S.: *see* Pilati, F, 280
Mathur, B. K.: *see* Mukherjee, D., 296
Matsumoto, Akikazu,: *see* Otsu, Takayuki, 367
Matsusaka, Kikuo; Sugimoto, Yoshiyuki and Murakami, Ichiro,: Effects of divalent metal stearates on the early stages of the thermal degradation of poly(vinyl chloride), 371
Mazur, Jacob,: *see* Reneker, Darrell H., 332
McCallum, J. R.: Fluorescence polarization in polystyrene – comments on a recent communication by Gardette and Phillips, 112
McKenna, Gregory B.: Constraint release and self diffusion in polymer melts, 324
McLeod, A.: *see* Bailey, R. T., 23
ter Meer, Hans-Ultrich and Burchard, Walter,: Determination of chain flexibility by light scattering, 273
Meijer, E. W., Leeuw, D. M., Greidanus, F. J. A. M. and Zwiers, R. J. M.: Molecular mobility studies in polyepoxides obtained by photoinitiated cationic polymerization, 45
Meijer-Veldman, M. E. E., Tan, Y. Y. and de Lief de Meijer, H. J.: New organometallic initiators for the polymerization of 2-vinylpyridine, 200
Merrill, E. W. and Mahmud, N. A.: Preparation and characterization of trifluoroacetyl derivative of polyurethaneureas, 105
Mijovic, Jovan and Weinstein, Stuart A.: Moisture diffusion into a graphite–epoxy composite, 237
Mishinev, J.: *see* Bechev, C., 118
Mishra, S. P. and Deopura, B. L.: Theoretical predictions of compatibility of poly(ethylene terephthalate) and poly(butylene terephthalate) blends, 5
Mitchell, Geoffrey R. and Ishii, Fumiaki,: N.m.r. study of the chain orientation and molecular motions in rigid-chain thermotropic copolyesters, 34
Mitiakoudis, Anastassios; Gandini, Alessandro and Cheradame, Herve,: Polyamides containing furanic moieties, 246
Monnerie, L.: *see* Halary, J. L., 73
Monnerie, L.: *see* Erman, Burak, 167
Morantz, D. J. and Wigley, J. W.: The contrasting phosphorescence decay kinetics of diacetyl and aromatic ketone phosphors in polymeric matrices, 170
Mori, Shigeki,: *see* Otsu, Takayuki, 367
Moriya, Satoru; Adachi, Keiichiro and Kotaka, Tadao: Effect of electric field on the morphology of a poly(ethylene oxide)–polystyrene blend, 235
Mukherjee, D., Pramanik, P. and Mathur, B. K.: Radial distribution function analysis of sulphur bridged poly(acrylonitrile), 296
Murakami, Ichiro,: *see* Matsusaka, Kikuo, 371
Murakoshi, Hideyuki,: *see* Kurita, Keisuke, 179
Murase, Ichiki; Ohnishi, Toshihiro; Noguchi, Takanobu and Hirooka, Masaaki,: Alkoxy-substituent effect of poly(*p*-phenylene vinylene) conductivity, 362
Nakamura, Shigeo,: *see* Magoshi, Jun, 60
Nakamura, Shiegeo,: *see* Magoshi, Jun, 309
Nakanishi, Tadashi; Usuda, Yukinori; Tak, Tae-moon, Komiyama, Jiro and Iijima, Toshiro,: Reverse osmosis salt rejection with quaternized poly(4-vinylpyridine) membranes, 300
Nalwa, Hari Singh,: *see* Katsumi, Yoshino, 103
Nalwa, Hari S., Dalton, Larry R., Schmidt, Werner F. and Rabe, Johann G.: Electrical and optical studies of chemically synthesized polypyrrole, 240
Narkis, M., Chaouat-Sibony, S., Nicolais, L., Apicella, A. and Bell, J. P.: Water effects on polycarbonate, 339
Nedel'kin, V. I. : *see* Sergeyev, V. A., 365
Nicolais, L.: *see* Narkis, M., 339
Nishimoto, Sei-ichi; Ohtani, Bunsho; Shirai, Hiroshi; Adzuma, Shuji and Kagiya, Tsutomu,: pH-regulated photocatalysis with Ti_2/Pt suspension degradation and polymerization of poly(ethylene oxide) in aqueous solution, 292
Noguchi, Takanobu,: *see* Murase, Ichiki, 362
Noolandi, Jaan,: *see* Whitmore, Mark Douglas, 267
Nosker, R. W.: *see* Briscoe, B. J., 307
Nystrom, B.: *see* Roots, J., 229

Odijk, Theo,: Scaling theory of the isotropic—liquid crystalline phase transition in a solution of wormlike polymers, 197
Ohnishi, Toshihiro,: *see* Murase, Ichiki, 362
Ohtani, Bunsho,: *see* Nishimoto, Sei-ichi, 292
Ohyanagi, Manshi; Kanai, Hiroyuki; Katayama, Yoshihito; Ikeda, Koji and Sekine Yoshiro,: Synthesis of poly(2-carboxyethylmethylsiloxane), 249
Otsu, Takayuki; Shiraishi, Kohei; Matsumoto, Akikazu; Yashuhara; Amaya, Naoyuki and Mori, Shigeki: Synthesis of high molecular weight poly(fumaric acid) and its half esters from tertiary alkyl fumarates, 367

Paci, Maurizio,; ^{13}C n.m.r. dynamic parameters interpretation in polymers with hindered side chains by the 'model-free' approach, 116
van Pelt, A. W. J.: *see* Busscher, H. J., 252
Penn, B. B.: *see* Crouse, D. J., 260
Pethrick, R. A.: *see* Malhotra, Bansi, D., 14
Pethrick, R. A.: *see* Bakhshaee, N., 185
Pethrick, R. A.: *see* Doyle, Stephen E., 262
Petschek, R. G.: *see* Venkataswamy, K., 101
Pezzin, G.: *see* Pizzoli, M., 107
Phillips, D. G.: *see* Eastmond, G. C., 98
Pilati, F., Masoni, S. and Berti, C.: Kinetics of the thermal decomposition of hindered phenols, 280
Pizzoli, M., Scandola, M., Ceccorulli, G. and Pezzin, G.: Rate of absorption of di-n-butylphthalate in glassy poly(vinyl chloride), 107
Polyatskova, N. V.: *see* Shilov, V. V., 28
Poulaert, B., Chielens, J.-C., Vandenhende, C. and Legras, R.: Temperature variation of the thermal conductivity of Kevlar, 132
Pramanik, P.: *see* Mukerjee, D., 296
Price, Thomas R.: *see* Keller, Teddy M., 48
Pugh, D.: *see* Bailey, R. T., 23
Rabe, Johann G.: *see* Yoshino, Katsumi, 103
Rabe, Johann G.: *see* Nalwa, Hari S., 240
Radhakrishnan, S.: Effect of fillers on the electrical conduction in polymers: theory of internal conduction mechanism, 153
Radic, Deodata,: *see* Gargallo, Ligia, 149
Rae, A. I. M.: *see* Hay, J. N., 283
Ramsteiner, F. and Heckmann, W.: Mode of deformation in rubber-modified polyamide, 199
Rashid, H.: *see* Bakhshaee, N., 185
Reneker, Darrell H., Mazur, Jacob and Fanconi, Bruno M.: Assignment of i.r. band near 680 cm^{-1} in polyethylene to molecular twist boundaries, 332
Renyuan, Qian,: *see* Yun, Huang, 242
Richardson, M. J.: *see* Stevens, G. C., 77
Robinson, I. M.: *see* Galiotis, C., 354
Roman, Julio San,: *see* Madruga, Enrique Lopez, 342
Rooney, J. M.: Cationic polymerization of 3-methoxy-4-benzyloxystyrene, 164
Roots, J., Nystrom, B. and Higgins, J. S.: Effect of temperature on dynamics of isotactic polystyrene in solution observed by quasi-elastic scattering, 229
Rotzinger, Bruno, P.: *see* Smith, Paul, 258
Rudin, Alfred,: *see* de Carvalho, Laura H., 226
Runt, J.: *see* Harrison, I. R., 244

Sadler, David M.: Neutron scattering of annealed solution grown crystals; molecular dimensions, 204
Saini, D. R. and Shenoy, A. V.: Transitions and relaxations in linear low density polyethylene, 50
Saito, Shogo,: *see* Chiu, Hsien Tang, 61
Sakaguchi, M., Kinpara, H., Hori, Y., Shimada, S., Kashiwabara, H.: Ionic products from the mechanical fracture of solid polymers: polyethylene and polypropylene, 142
Sato, Masa-aki,: *see* Tanaka, Susumu, 303
Satoh, Masharu; Tabata, Munehiro; Kaneto, Keiichi and Yoshino, Katsumi: Properties of highly conducting poly(*p*-phenylene) film prepared by an electrochemical method, 356
Scandola, M.: *see* Pizzoli, M., 107
Schmidt, Werner F.: *see* Yoshino, Katsumi, 103
Schmidt, Werner F.: *see* Nalwa, Hari S., 240
Sekine, Yoshiro,: *see* Koyama, Noboru, 139
Sekine, Yoshiro,: *see* Ohyanagi, Manshi, 249
Sekiyama, Yasunori,: *see* Koyama, Noboru, 139
Semlyen, J. A.: *see* Garrido, L., 53
Semlyen, J. A.: *see* Garrido, L., 55
Sergeyev, V. A., Nedel'kin, V. I. and Arustamyan, S. S.: A new synthesis of poly(imidosulphides), 365
Shaw, S. J.: *see* Kinloch, A. J., 290
Shenoy, A. V.: *see* Saini, D. R., 50
Sherrington, D. C.: *see* Bakhshaee, N., 185
Shilov, V. V., Dmitruk, N. V., Trsukruk, V. V., Polyatskova, N. V. and Lipatov, Yu. S.: Formation of heterogeneous structure in poly(tetramethylene glycol) induced by ionic end groups, 28
Shimada, S.: *see* Sakaguchi, M., 142
Shirai, Hiroshi,: *see* Nishimoto, Sei-ichi, 292
Shiraishi, Kohei: *see* Otsu, Takayuki, 367
van Silfhout, A.: *see* Kip, G. A. M., 215
Simha, P.: *see* Lee, Michael, 66
Smith, B. J. E.: *see* Galiotis, C., 354

Smith, Paul, Chanzy, Henri D. and Rotzinger, Bruno P.: Drawing of virgin ultrahigh molecular weight polyethylene: an alternative route to high strength fibres, 258
Soum, A.: *see* Belorgey, G., 315
Stein, R. S.: *see* Halary, J. L., 73
Stejskal, Jaroslav,: *see* Kratochvil, Pavel, 202
Stergiou, A. C.: *see* Delides, C. G., 168
Stevens, G. C. and Richardson, M. J.: Structural relaxation in polystyrene: changes in the recovery function with increasing relaxation; 77
Stivala, S. S.: *see* Bezwada, R. S., 84
Stivala, S. S.: *see* Bezwada, R. S., 91
Strakova, Dagmar,: *see* Kratochvil, Pavel, 202
Sugimoto, Yoshiyuki,: *see* Matsusaka, Kikuo, 371
Suto, Shinichi; Ito, Ryoko and Karasawa, Mikio,: Dye swell of lyotropic liquid crystal: hydroxypropyl cellulose/water system, 335
Swatsky, G. A.: *see* Busscher, H. J., 252

Tabata, Munehiro,: *see* Satoh, Masaharu, 356
Tak, Tae-moon,: *see* Nakanishi, Tadashi, 300
Tan, Y. Y.: *see* Meijer-Veldman, M. E. E., 200
Tanaka, Satoshi,: *see* Tezuka, Yasuyyki, 327
Tanaka, Susumu; Sato, Masa-aki and Kaeriyama, Kyoji,: Electrochemical polymerization of thiophenes containing a methoxy group, 303
Tezuka, Yusuyuki; Tanaka, Satoshi and Imai, Kiyokazu: Syynthesis and radical polymerization of vinyl siloxanes, 327
Tidick, P.: *see* Fakirov, S., 26
Tieghi, G.: *see* Danusso, F., 221
Touw, F. van der,: *see* Wijmenga, S. S., 172
Tramontini, Maurilio,: *see* Angiolini, Luigi, 218
Trudelle, Yves,: *see* Brack, Andre, 369
Tsukruk, V. V.: *see* Shilov, V. V., 28
Tsutsui, Tetsuo,: *see* Chiu, Hsien Tang, 61
Tuzi, Angela,: *see* Corradini, Paolo, 175

Ubrich, J. M.: *see* Halary, J. L., 73
Ueno, Yukihiko,: *see* Koyama, Noboru, 139
Ushanov, V. Zh.: *see* Bekturov, E. A., 81
Usuda, Yukinori,: *see* Nakanishi, Tadashi, 300

Vandenhende, C.: *see* Poulaert, B., 132
Varma, D. S., Agarwal, Radha and Varma, Indra K.: Synthesis and characterization of copolyesters from poly(ethylene terephthalate), 346
Varma, Indra K.: *see* Varma, D. S., 346
Venkataswany, K., Jamieson, A. M. and Petschek, R. G.: Universla reduction of static light scattering data for flexible polymers in dilute solutions, 101
Vittoria, V.: Solvent-induced crystallization of quenched isotactic polypropylene, 213

Walczynski, Bogdan; Kalarz, Bozena N. and Galina, Henryk,: Polymerization of commercial divinylbenzene mixture, 276
Weaver, T. J.: *see* Harrison, I. R., 244
Weinstein, Stuart A.: *see* Mijovic, Jovan, 237
Weiss, George H.: *see* Gaylord, Richard J., 337
Werrett, M. R.: *see* Comyn, J., 294
Wetton, R. E.: *see* Harrison, E. G., 194
Whitmore, Mark Douglas and Noolandi, Jaan,: Theory of block copolymer–homopolymer blends: suggested measurements, 267
Wigley, J. W.: *see* Morantz, D. J., 170
Wijmenga, S. S., Touw, F. van der and Mandel, M.: The electric birefringence relaxation of aqueous polyelectrolyte solutions observed with pulsed rectangular waves of various frequencies, 172
Wu, Wen-li and Bauer, Barry J.: Network structure of epoxies: 1. A neutron scattering study, 39
Wynne, Kenneth J., Zachariades, A. E., Inabe, T. J. Marks,: Conducting, high modulus, molecular–macromolecular composites: Mechanical properties of oriented doped-phthalocyanine/Kevlar fibres, 162

Xia, Zhen-Bang,: *see* Chiang, Teh-Chang, 364

Yagci, Yusuf,: Block copolymers by combinations of cationic and radical routes: 1. A new difunctional azo-oxocarbenium initiator for cationic polymerization, 7
Yamamura, Yoshihiro,: *see* Kawakami, Yuhsuke, 133
Yamashita, Yuya,: *see* Kawakami, Yuhsuke, 133
Yang, H.: *see* Halary, J. L., 73
Yasuhara, Takashi,: *see* Otsu, Takayuki, 367
Yoda, Osamu,: The crystallite size and lattice distortions in the chain direction of irradiated poly(aryl-ether-ketone), 16
Yoshino, Katsumi; Nalwa, Hari Singh; Rabe, Johann Georg and Schmidt, Werner F.,: The influence of nitric oxide, nitrous oxide and carbon monoxide on the electrical conductivity of polythiophene and polyacetylene, 103
Yoshino, Katsumi,: *see* Satoh, Masaharu, 356
Young, R. J.: *see* Galiotis, C., 354
Yun, Huang, and Renyuan, Qian,: Concentration dependence of the polymer coil dimersion in semi-dilute solutions, 242

Zachariades, A. E.: *see* Wynne, Kenneth J., 162
Zachmann, H. G.: *see* Fakirov, S., 26
Zhi, Gong,: *see* Corradini, Paolo, 175
Zwiers, R. J. M.: *see* Meijer, E. W., 45

POLYMER COMMUNICATIONS CLASSIFIED CONTENTS VOLUME 26 1985

Absorption: Rate of ———— of di-n-butylphthalate in glassy poly(vinyl chloride), 107

Acrylic monomers: Radical copolymerization of ————: 9. High conversion polymerization of methyl methacrylate in the presence of low concentrations of methyl α-*p*-substituted benzyl acrylates and poly(octa-methylene terephthalate), 342

Activation energy: Temperature dependence of the diffusion coefficient of entangled linear and star-branched polymers, 2

Adsorption: Surface layer relaxation in PMMA during n-propanol ———— and desorption: an ellipsometric study, 215

Adsorption behaviour: Polymer cosolvent system: 5. influence of the binary solvent on the preferential ———— of poly(vinyl pyrrolidone), 149

Ageing: An ———— effect in cured epoxy castings relevant to fracture toughness testing, 113

Alkoxystyrenes: Cationic polymerization of 3-methoxy-4-benzyloxystyrene, 164

Alkoxy-substituent effect: of poly(*p*-phenylene vinylene) conductivity, 362

Alkyl fumarates: Synthesis of high molecular weight poly(fumaric acid) and its half esters from tertiary ————, 367

p-Aminophenol: Polymers based on ————: 4. Synthesis and properties of polyamide-imide-urethanes from 4-carboxy-*N*-(*p*-hydroxy phenyl) phthalimide, 179

Annealing: Effect of ———— on electronic conduction in poly(*p*-phenylene), 61

Assignment: of i.r. band near 680 cm^{-1} in polyethylene to molecular twist boundaries, 332

Atomic models: The structure of liquid crystalline copolyesters prepared from 4-hydroxybenzoic acid, 2,6-dihydroxy naphthalene, and terephthalic acid: 2. ———— for the copolymer chains, 348

Azo-oxocarbenium initiator: Block copolymers by combinations of cationic and radical routes: 1. A new difunctional ———— for cationic polymerization, 7

Benzene–cyclohexane: Studies of diffusion in ———— and benzene–toluene mixtures in polyethylene using the pulsed field gradient n.m.r. technique, 20

Benzene–toluene: Studies of diffusion of benzene–cyclohexane and ———— mixtures in polyethylene using the pulsed field gradient n.m.r. technique, 20

Blends: Theoretical predictions of compatibility of poly(ethylene terephthalate) and poly(butylene terephthalate) ————, 5

Bombyx mori: Physical properties and structure of silk: 9. Liquid crystal formation of silk fibroin, 60

Bombyx mori: Physical properties and structure of silk: 10. The mechanism of fibre formation from liquid silk of silkworm ————, 309

Caprolactam: Crystallization behaviour of polypropylene dye–———— system, 118

Carbochain halopolymers: Halogenated poly(acetylene) derivatives by catalysed dehydrohalogenation of ———— in non-aqueous media, 358

Carbon black III: Vinyl polymerization by ————: Some properties of graft composites from *N*-vinylcarbazole–carbon black polymerization system, 122

Carbon blacks: Encapsulation of ———— into suspension polymerized copolymers, 185

4-carboxy-*N*-(*p*-hydroxy-phenyl)phthalimide: Polymers based on *p*-aminophenol: 4. Synthesis and properties of polyamide-imide-urethanes from ————, 179

Chain flexibility: Determination of ———— by light scattering, 273

Chain orientation: N.m.r. study of the ———— and molecular motions in rigid-chain thermotropic copolyesters, 34

Chain rotation: ^{13}C n.m.r. dynamic parameters interpretation in polymers with hindered side chains by the 'model-free' approach, 116

Characterization: Preparation and ———— of trifluoroacetyl derivative of poly(urethaneureas), 105

Characterization: Synthesis and ———— of copolyesters from poly(ethylene terephthalate), 346

Chemical composition: Precise determination of small differences in copolymer composition by differential refractometry, 202

Chemically synthesized: Electrical and optical studies of ———— polypyrrole, 240

Circular dichroism: Helix sense of copoly(ethyl-L-aspartate-benzyl-L-aspartate), 379

Cohesion energy: On the relation between hardness and intermolecular forces in polyethylene crystals, 57

Coil dimension: Concentration dependence of the polymer ———— in semi-dilute solutions, 242

Coloured polymers: copolymerization of 4-phenylazophenyl methacrylate with vinyl monomers, 364

Compatibility: Theoretical predictions of ———— of poly(ethylene terephthalate) and poly(butylene terephthalate) blends, 5

Composite: Moisture diffusion into a graphite-epoxy ————, 237

Composites: Vinyl polymerization by carbon black III: Some properties of graft ———— from *N*-vinylcarbazole–carbon black polymerization system, 122

Composites: The effect of a rubbery interfacial layer on the tensile behaviour of polystyrene glass bead ————, 145

Composites: Conducting, high modulus, molecular–macromolecular ————. Mechanical properties of oriented doped phthalocyanine/Kevlar* fibres, 162

Compression moulding: Granular homo-composites of compression moulded poly(methyl methacrylate) beads, 221

Concentration dependence: of the polymer coil dimension in semi-dilute solutions, 242

Conduction: Effect of annealing on electronic ———— in poly(*p*-phenylene), 61

Conduction: Properties of highly conducting poly(*p*-phenylene) film prepared by an electrochemical method, 356

Conducting: high modulus, molecular–macromolecular composites: Mechanical properties of oriented doped phthalocyanine//Kevlar* fibres, 162

Conducting polymers: Positron annihilation studies of polypyrrole films, 262

Conductivity: Alkoxy-substituent effect of poly(*p*-phenylene vinylene) ————, 362

Configurational sequence lengths: in polyacrylonitrile and poly(acrylonitrile-CO-haloalkyl acrylate–methacrylate)s determined by ^{13}C n.m.r., 391

Conformation: Study of the molecular mobility in swollen poly(epichlorohydrin): 1. Nonpolar swelling agent, 387

Constraint release: and self diffusion in polymer melts, 324

Copolyesters: N.m.r. study of the chain orientation and molecular motions in rigid-chain thermotropic ————, 34

Copolyesters: The structure of liquid crystalline ———— prepared from 4-hydroxybenzoic acid, 2-6-dihydroxy naphthalene, and terephthalic acid: 2. Atomic models for the copolymer chains, 348

Copoly(ethyl-L-asparate-benzyl-asparate): Helix sense of ————, 379

Copolymer: Positron annihilation in 4-vinyl pyridine methyl methacrylate ————, 14

Copolymer composition: Precise determination of small differences in ———— by differential refractometry, 202

Copolymer: Theory of block ———— homopolymer blends: suggested measurements, 267

Copolymerization: Coloured polymers: ———— of 4-phenylazophenyl methacrylate with vinyl monomers, 364

Copolymerization: Radical ———— of acryllic monomers: 9. High conversion polymerization of methyl methacrylate in the presence of low concentrations of methyl α-*p*-substituted benzyl acrylates and poly(octa-methylene terephthalate), 342

Copolymers: Block ———— by combinations of cationic and radical routes: 1. A new difunctional azo–oxcarbenium initiator for cationic polymerization, 7

Copolymers: The meridonional X-ray diffraction pattern of oriented liquid crystal ————, 9

Copolymers: Encapsulation of carbon blacks into suspension polymerized ————, 185

Correlation function: Formation of heterogeneous structure in poly(tetramethylene glycol) induced by ionic end groups, 28

Cosolvency: Polymer cosolvent system: 5. Influence of the binary solvent on the preferential adsorption behaviour of poly(vinylpyrrolidone), 149

Crack geowth: A meniscus instability mechanism for ductile ———— in epoxy polymers, 290

Crazes: Water effects on polycarbonate, 339

Crosslinked network: The relaxation of an unattached chain in a ————: A span

analysis of reptation, 337
Crosslinking: Determination of the equilibrium melting temperature of nylon-11 by means of the Gibbs–Thomson equation, 26
Crosslinking: The Gruneisen constant of crosslinked polysiloxane, 168
Cross-polarization: Application of ———— and magic-angle sample spinning n.m.r. techniques to poly(aryl-ether-ketone), 329
Crystalline: The structure of ———— PEK, 283
Crystalline phase transition: Scaling theory of the isotropic-liquid ———— in a solution of wormlike polymers, 197
Crystalline polymers: Relaxation processes in ————: experimental behaviour, 323
Crystallinity: Thermal lens measurements of thermal conductivity and orientation in poly(ethylene terephthalate), 23
Crystallite size: The ———— and lattice distortions in the chain direction of irradiated poly(aryl-ether-ketone), 16
Crystallization behaviour: of polypropylene dye–caprolactam system, 118
Crystallization: Solvent induced ———— of quenched isotactic polypropylene, 213
Crystallization: The influence of molecular weight on the swelling of solution-crystallized polyethylene, 244
Crystallization: Single crystals of poly(ether-ether-ketone) (PEEK), 322
Crystals: On the relation between hardness and intermolecular forces in polyethylene ————, 57
Cyclic chains: Studies of cyclic and linear poly(dimethylsiloxanes). 16. Trapping of cyclics present during the end-linking of linear chains into network structures, 53

Deformation: Mode of ———— in rubber-modified polyamide, 199
Deformation modelling: Molecular orientation and strain in hot-drawn poly(ethylene terephthalate), 42
Degradation: pH-regulated photocatalysis with Ti_2/Pt suspension: ———— and polymerization of poly(ethylene oxide) in aqueous solution, 292
Dehydrohalogenation: Halogenated poly(acetylene) derivatives by catalysed ———— of carbochain halopolymers in non-aqueous media, 358
Depolarization: Variable temperature and stretching cell for Raman spectroscopy studies of polymers, 383
Di-n-butylphthalate: Rate of absorption of ———— in glassy poly(vinyl chloride), 107
Dielectric relaxation: Relaxation processes in crystalline polymers: experimental behaviour, 323
Differential refractometry: Precise determination of small differences in copolymer composition by ————, 202
D.s.c.: Determination of the equilibrium melting temperature of nylon-11 by means of the Gibbs–Thomson equation, 26
D.s.c.: Further observations on impact strength– ———— correlation in mineral-filled polypropylene, 264
Diffusion: Studies of ———— of benzene–cyclohexane and benzene–toulene mixtures in polyethylene using the pulsed field gradient n.m.r. technique, 20
Diffusion: ^{13}C n.m.r. dynamic parameters interpretation in polymers with hindered side chains by the 'model free' approach, 116
Diffusion: Solvent induced crystallization of quenched isotactic polypropylene, 213
Diffusion: Moisture ———— into a graphite–epoxy composite, 237
Diffusion: A novel method for the determination of permeation rates in polymer films, 294
Diffusion coefficient: Temperature dependence of the ———— of entangled linear and star-branched polymers, 2
Diffusion coefficient: Dynamical studies on low molecular weight polyacrylamide aqueous solution, 397
2,6-Dihydroxy naphthalene: The structure of liquid crystalline copolyesters prepared from 4-hydroxybenzoic acid, ———— and terephthalic acid: 2. Atomic models for the copolymer chains, 348
Diolefin: Configurational and conformational requirements for an eventual backbiting of the propagating species in the ———— polymerization, 175
Dipole moment: Helix sense of copoly(ethyl-L-aspartate-benzyl-L-aspartate), 379
Dispersion: Non-ionic aqueous ———— polymerization of styrene, 226
Dispersion: The rubber retraction test for the measurement of the ———— of fillers in rubber, 312
Divinylbenzene mixture: Polymerization of commercial ————, 276
Domains: Analysis of SAXS data from ionomer systems, 371
Drawing: of virgin ultrahigh molecular weight polyethylene: an alternative route to high strength fibres, 258
Die swell: of lyotropic liquid crystal: hydroxypropyl cellulose/water system, 335
Dynamical studies: on low molecular weight polyacrylamide aqueous solution, 397
Dynamics: Effect of temperature on ———— of isotactic polystyrene in solution observed by quasi-elastic scattering, 229

Elastomeric properties: Studies of cyclic and linear poly(dimethylsiloxanes): 17. ———— of model PDMS networks containing either cyclics of linear chains as diluent, 55
Electric birefringence: The ———— relaxation of aqueous polyelectrolyte solutions observed with pulsed rectangular waves of various frequencies, 172
Electric field: Effect of ———— on the morphology of a poly(ethylene oxide)–polystyrene blend, 235
Electrical: and optical studies of chemically synthesized polypyrrole, 240
Electrical conduction: Effect of fillers on the ———— in polymers: theory of internal conduction mechanism, 153
Electrical conductivity: The influence of nitric oxide and carbon monoxide on the ———— of polythiophene and polyacetylene, 103
Electrical properties: Preparation of silicon-containing polymers: 6. Mechanical and ———— of organosilicon aramids, 286
Electrochemical: polymerization of thiophenes containing a methoxy group, 303
Electrochemical method: Properties of highly conducting poly(*p*-phenylene) film prepared by an ————, 356
Electron spin resonance: Molecular mobility studies in polyepoxides obtained by photoinitiated cationic polymerization, 45
Electronic: Effect of annealing on ———— conduction in poly(*p*-phenylene), 61
Ellipsometric study: Surface layer relaxation in PMMA during n-propanol adsorption and desorption: an ———— study, 215
Elongation isotherms: Studies of cuclic and linear poly(dimethylsiloxanes): 17. Elastomeric properties of model PDMS networks containing either cyclics of linear chains as diluent, 55
Emulsion: Number of latex particles formed per unit volume of the aqueous phase at 100% conversions in aqueous and ———— polymerizations of vinyl monomers, 181
Encapsulation: of carbon blacks into suspension polymerized copolymers, 185
End-linking: Studies of cyclic and linear poly(dimethylsiloxanes). 16. Trapping of cyclics present during the ———— of linear chains into network structures, 53
Energy migration: Fluorescence polarization in polystyrene — comments on a recent communication by Gardette and Phillips, 112
Environment cracking: A fracture mechanics perspective on the failure of plastic pipe, 38
Epoxies: Network structure of ————: 1. A neutron scattering study, 39
Epoxy: Moisture diffusion into a graphite–———— composite, 237
Epoxy castings: An ageing effect in cured ———— relevant to fracture toughness testing, 113
Epoxy polymers: A meniscus instability mechanism for ductile crack growth in ————, 290
Etch technique: Use of an ———— to observe morphologies in polycarbonate-containing graft copolymers and their blends, 98

Failure: A fracture mechanics perspective on the ———— of plastic pipe, 38
Fibre formation: Physical properties and structure of silk: 10. The mechansim of ———— from liquid silk of silkworm *Bombyx mori*, 309
Fillers: Effect of ———— on the electrical conduction in polymers: theory of internal conduction mechanism, 153
Flexible polymers: Universal reduction of static light scattering data for ———— in dilute solutions, 101
Flow stress: The ———— of high density polyethylene at high rates of strain, 307
Fluorescence polarization: in polystyrene — comments on a recent communication by Gardette and Phillips, 112
Fracture mechanics: A ———— perspective on the failure of plastic pipe, 38
Fracture toughness: An ageing effect in cured epoxy castings relevant to ———— testing, 113
Furanic moieties: Polyamides containing ————, 246

Gaussian chains: Segmental orientation in real networks, 167
Gels: Evolution of the permeability during the sol–gel transition, 210
Gels: Extent and effects of hydrolysis in polyacrylamide ————, 232
Gibbs–Thomson equation: Determination of the equilibrium melting temperature of nylon-11 by means of the ————, 26
Glass transition: Positron annihilation in 4-vinyl pyridine methyl methacrylate copolymer, 14
Glass transition: Study of the molecular mobility in swollen poly(epichlorohydrin): 1. Nonpolar swelling agent, 387

Glass transition temperature: Polymerization of polysulphone phthalonitriles, 48
Glass transition temperature: Iionic conductivity of poly(diethoxy(3) methyl itaconate) containing lithium perchlorate, 298
Glass transition temperature: Study of thermal properties of stereoregular poly(2-isopropenyl pyridine) oligomers and polymers, 315
Graphite: Moisture diffusion into a ————–epoxy composite, 237
Grüneisen constant: The ———— of crosslinked polysiloxane, 168
Grüneisen parameter: Thermal expansion and ———— of polyethylene between 5 and 320 K, 364

Hardness: On the relation between ———— and intermoiecular forces in polyethylene crystals, 57
Helix sense: of copoly(ethyl-L-asparate-benzyl-L-asparate), 379
Heterochemical healing: in linear polycondensates, 137
Heterogeneous structure: Formation of ———— in poly(tetramethylene glycol) induced by ionic end groups, 28
High strength fibres: Drawing of virgin ultrahigh molecular weight polyethylene: an alternative route to ————, 258
Hindered phenols: Kinetics of the thermal decomposition of ————, 280
Homocomposites: Granular ———— of compression moulded poly(methyl methacrylate) beads, 221
Homopolymer: Theory of block copolymer–———— blends: suggested measurements, 267
Hot-drawing: Molecular orientation and strain in hot-drawn polyethylene, 42
Hydrolysis: Extent and effects of ———— in polyacrylamide gels, 232
4-Hydroxybenzoic acid: The structure of liquid crystalline copolyesters prepared from ———— 2,6-dihydroxy naphthalene, and terephthalic acid: 2. Atomic models for the copolymer chains, 348
Hydroxypropyl cellulose: Die swell of lyotropic liquid crystal: ———— water system, 335

Impact strength: Further observations on ————–d.s.c. correlation in mineral-filled polypropylene, 264
Infra-red: evidence of tie molecules in oriented polyamide films, 130
Infra-red: Assignment of ———— band near 680 cm^{-1} in polyethylene to molecular twist boundaries, 332
Intermolecular forces: On the relation between hardness and ———— in polyethylene crystals, 57
Internal conduction: Effect of fillers on the electrical conduction in polymers: theory of ———— mechanism, 153
Interpenetration: Studies of cyclic and linear poly(dimethylsiloxanes). 16. Trapping of cyclics present during the end-linking of linear chains into network structures, 53
Intersegmental interaction: Concentration dependence of the polymer coil dimension in semi-dilute solutions, 242
Ionic conductivity: of poly(diethoxy(3) methyl itaconate) containing lithium perchlorate, 298
Ionomer systems: Analysis of SAXS data from ————, 371

Ketone phosphors: The contrasting phosphorescence decay kinetics of diacetyl and aromatic ———— in polymeric matrices, 170
Kevlar: Temperature variation of the thermal conductivity of ————, 132
Kevlar® fibres: Conducting, high modulus, molecular–macromolecular composites: Mechanical properties of oriented doped-phthalocyanine ————, 162
Kevlar 49 fibre: Strain dependence of the Raman frequencies of a ————, 354
Kinetics: The contrasting phosphorescence decay ———— of diacetyl and aromatic ketone phosphors in polymeric matrices, 170
Kinetics: of the thermal decomposition of hindered phenols, 280

Laser ionization: mass spectrometry of poly(4-vinyl pyridine), 270
Latex particles: Number of ———— formed per unit volume of the aqueous phase at 100% conversions in aqueous and emulsion polymerizations of vinyl monomers, 181
Lattice distortions: The crystallite size and ———— in the chain direction of irradiated poly(aryl-ether-ketone), 16
Light scattering: Universal reduction of static ———— data for flexible polymers in dilute solutions, 101
Light scattering: Determination of chain flexibility by ————, 273
Light-sensitive unsaturated polyamide-imides, 11
Linear chains: Studies of cyclic and linear poly(dimethylsiloxanes) 16. Trapping of cyclics present during the end-linking of linear chains into network structures, 53
Liquid crystal: The meridional X-ray diffraction pattern of oriented ———— copolymers, 9
Liquid crystal formation: Physical properties and structure of silk: 9. ———— of silk fibroin, 60
Liquid crystalline polymers: N.m.r. study of the chain orientation and molecular motions in rigid-chain thermotropic copolyesters, 34
Liquid silk: Physical properties and structure of silk: 10. The mechanism of fibre formation from ———— of silkworm *Bombyx mori*, 309
Lyotropic liquid crystal: Die swell of ———— hydroxypropyl cellulose/water system, 335

Mannich bases: The ———— in polymer synthesis: 10. Synthesis of poly(β-ketothioethers) and their behaviour towards hydroperoxide reagents, 218
Mass spectrometry: Laser ionization ———— of poly(4-vinyl pyridine), 270
Mechanical fracture: Ionic products from the ———— of solid polymers: polyethylene and polypropylene, 142
Mechanical properties: Conducting, high modulus, molecular–macromolecular composites: ———— of oriented doped phthalocyanine/Kevlar® fibres, 162
Mechanical properties: Preparation of silicon-containing polymers: 6. ———— and electrical properties of organosilicon aramids, 286
Mechanical relaxation: Transitions and relaxations in linear low density polyethylene, 50
Mechanical relaxation: Relaxation processes in crystalline polymers: experimental behaviour, 323
Melting temperature: Determination of the equilibrium ———— of nylon-11 by means of the Gibbs–Thomson equation, 26
Membranes: Poly(*p*-disiloxane substituted styrene)s as materials for oxygen permeable ————, 133
Meniscus instability: A ———— mechanism for ductile crack growth in epoxy polymers, 290
Metal strearates: Effects of divalent ———— on the early stages of the thermal degradation of poly(vinyl chloride), 371
3-Methoxy-4-benzyloxystyrene: Cationic polymerization of ————, 164
Methyl groups: Rotation of ———— in molecular solids and polymers at low temperatures: recent developments, 355
Microgels: Polymerization of commerical divinylbenzene mixture, 276
Microphase separation: Theory of block copolymer–homopolymer blends: suggested measurements, 267
Microphase structure: Formation of heterogeneous structure in poly(tetramethylene glycol) induced by ionic end groups, 28
Microstructure: Analysis of SAXS data from ionomer systems, 371
Modulus: Void generation in partially fused unplasticized poly(vinyl chloride), 194
Moisture: diffusion into a graphite–epoxy composite, 237
Molecular crystals: Rotation of methyl groups in molecular solids and polymers at low temperatures: recent developments, 355
Molecular dimensions: Neutron scattering of annealed solution grown crystals; ————, 204
Molecular mobility: studies in polyepoxides obtained by photoinitiated cationic polymerization, 45
Molecular mobility: Study of the ———— in swollen poly(epichlorohydrin): 1. Nonpolar swelling agent, 387
Molecular motions: N.m.r. study of the chain orientation and ———— in rigid-chain thermotropic copolyesters, 34
Molecular orientation: and strain in hot-drawn poly(ethylene terephthalate), 42
Molecular twist boundaries: Assignment of i.r. band near 680 cm^{-1} in polyethylene to ————, 332
Molecular weight: The influence of ———— on the swelling of solution-crystallized polyethylene, 244
Molecular weight determination: of polypeptides from viscosity measurements, 369
Morphological assignment: Relaxation processes in crystalline polymers: experimental behaviour, 323
Morphology: Use of an etch technique to observe morphologies in polycarbonate-containing graft copolymers and their blends, 98
Morphology: Effect of electric field on the ———— of a poly(ethylene oxide)–polystyrene blend, 235

Network structure: of epoxies: 1. A neutron scattering study, 39
Network structures: Studies of cyclic and linear poly(dimethylsiloxanes) 16. Trapping of cyclics present during the end-linking of linear chains into ————, 53
Networks: Studies of cyclic and linear poly(dimethylsiloxanes): 17. Elastomeric properties of model PDMS ———— containing either cyclics of linear chains as diluent, 55

Neutron scattering: Network structure of epoxies I. A. ———— study, 39

Neutron scattering: of annealed solution grown crystals; molecular dimensions, 204

N.m.r.: Studies of diffusion of benzene–cyclohexane and benzene–toulene mixtures in polyethylene using the pulsed field gradient ———— technique, 20

N.m.r. study of the chain orientation and molecular motions in rigid-chain thermotropic copolyesters, 34

N.m.r.: ^{13}C ———— dynamic parameters interpretation in polymers with hindred side chains by the 'model-free' approach, 116

N.m.r.: Relaxation processes in crystalline polymers: experimental behaviour, 323

N.m.r.: Application of cross-polarization and magic-angle sample spinning ———— techniques to poly(aryl-ether-ketone), 329

N.m.r.: Self-diffusion of long-chain branched polyethylenes in the melt, 359

N.m.r.: Configurational sequence lengths in polyacrylonitrile and poly(acrylonitrile-CO-haloalkyl acrylate-methacrylate)s determined by ^{13}C ————, 391

Nylon-6: Heterochemical healing in linear polycondensates, 137

Nylon-6: A novel method for the determination of permeation rates in polymer films, 294

Nylon-11: Determination of the equilibrium melting temperature of ———— by means of the Gibbs–Thomson equation, 26

Optical: Electrical and ———— studies of chemically synthesized polypyrrole, 240

Optical rotatory dispersion: Helix sense of copoly(ethyl-L-asparate-benzyl-L-asparate), 379

Organometallic initiators: New ———— for the polymerization of 2-vinylpyridine, 200

Organosilicon aramids: Preparation of silicon-containing polymers: 6. Mechanical and electrical properties of ————, 286

Orientation: Thermal lens measurements of thermal conductivity and ———— in polyethylene terephthalate, 23

Orientation: Segmental ———— in real networks, 167

Oxygen permeation: Poly(*p*-disiloxane substituted styrene)s as materials for oxygen permeable membranes, 133

Permeability: Evolution of the ———— during the sol–gel transition, 210

Permeation rates: A novel method for the determination of ———— in polymer films, 294

Persistence length: Determination of chain flexibility by light scattering, 273

Phase separation: A note on the paper viscosity changes during urethane polymerization with ————, 158

4-Phenylazophenyl methacrylate: Coloured polymers: copolymerization of ———— with vinyl monomers, 364

Phosphorescence: Molecular mobility studies in polyepoxides obtained by photoinitiated cationic polymerization, 45

Phosphorescence decay: The contrasting ———— kinetics of diacetyl and aromatic ketone phosphors in polymeric matrices, 170

Photocatalysis: pH-regulated ———— with Ti_2/Pt suspension: degradation and polymerization of poly(ethylene oxide) in aqueous solution, 292

Photoelectric fatigue: Radical distribution analysis of sulphur bridged poly(acrylonitrile), 296

Photoinitiation: Molecular mobility studies in polyepoxides obtained by photoinitiated cationic polymerization, 45

Physical properties: and structure of silk: 9. Liquid crystal formation of silk fibroin, 60

Plastic pipe: A fracture mechanics perspective on the failure of ————, 38

Polyacetylene: The influence of nitric oxide, nitrous oxide and carbon monoxide on the electrical conductivity of polythiophene and ————, 103

Poly(acetylene): Halogenated ———— derivatives by catalysed dehydrohalogenation of carbochain halopolymers in non-aqueous media, 358

Polyacrylamide: Extent and effects of hydrolysis in ———— gels, 232

Polyacrylamide: Dynamical studies on low molecular weight ———— aqueous solution, 397

Poly(acrylonitrile): Radical distribution function analysis of sulphur bridged ————, 296

Polyacrylonitrile: Configurational sequence lengths in ———— and poly(acrylonitrile-CO-haloalkyl acrylate-methacrylate)s determined by ^{13}C n.m.r., 391

Poly(acrylonitrile-CO-haloalkyl acrylate-methacrylate)s: Configurational sequence lengths in polyacrylonitrile and ———— determined by ^{13}C n.m.r., 391

Polyamide: Mode of deformation in rubber-modified ————, 199

Polyamide films: Infra-red evidence of tie molecules in oriented ————, 130

Polyamides: containing furanic moieties, 246

Polyamide-imide-urethanes: Polymers based on *p*-aminophenol: 4. Synthesis and properties of ———— from 4-carboxy-*N*-(*p*-hydroxy phenyl) phthalimide, 179

Polyamide-imides: Light-sensitive unsaturated ————, 11

Poly(aryl-ether-ketone): The crystallite size and lattice distortions in the chain direction of irradiated ————, 16

Poly(aryl-ether-ketone): The structure of crystalline PEK, 283

Poly(aryl-ether-ketone): Application of cross-polarization and magic-angle sample spinning n.m.r. techniques to ————, 329

Poly(butylene terephthalate): Theoretical predictions of compatibility of poly(ethylene terephthalate) and ———— blends, 5

Polycarbonate: Use of an etch technique to observe morphologies in ———— containing graft copolymers and their blends, 98

Polycarbonate: Water effects on ————, 339

Polycarbosilazene: Thermogravimetric analysis of silicon carbide–silicon nitride precursors: ———— derived from tris(*N*-methyl-amino)phenylsilane, 260

Poly(2-carboxyethylmethylsiloxane): Synthesis of ————, 249

Polycondensates: Heterochemical healing in linear ————, 137

Polycondensation: Polyamides containing furanic moieties, 246

Poly(diethoxy(3) methyl itaconate): Ionic conductivity of ———— containing lithium perchlorate, 298

Poly(dimethylsiloxanes): Studies of cyclic and linear ————. 16. Trapping of cyclics present during the end-linking of linear chains into network structures, 53

Poly(dimethylsiloxanes): Studies of cyclic and linear ————: 17. Elastomeric properties of model PDMS networks containing either cyclics of linear chains as diluent, 55

Poly(*p*-disiloxane substituted styrene)s as materials for oxygen permeable membranes, 133

Polyelectrolyte: Synthesis of poly(2-carboxyethylmethylsiloxane), 249

Polyelectrolyte solutions: The electric birefringence relaxation of aqueous ———— observed with pulsed rectangular waves of various frequencies, 172

Polyelectrolytes: Structured non-aqueous salt solutions: A class of polymer solvents, 110

Poly(epichlorohydrin): Study of the molecular mobility in swollen ————: 1. Non-polar swelling agent, 387

Polypoxides: Molecular mobility studies in ———— obtained by photoinitiated cationic polymerization, 45

Poly(ether-ether-ketone): Single crystals of ———— (PEEK), 322

Polyethylene: Temperature dependence of the diffusion coefficient of entangled linear and star-branched polymers, 2

Polyethylene: Studies of diffusion of benzene–cyclohexane and benzene–toulene mixtures in ———— using the pulsed field gradient n.m.r. technique, 20

Polyethylene: A fracture mechanics perspective on the failure of plastic pipe, 38

Polyethylene: Transitions and relaxations in linear low density ————, 50

Polyethylene: On the relation between hardness and intermolecular forces in ———— crystals, 57

Polyethylene: Ionic products from the mechanical fracture of solid polymers: ———— and polypropylene, 142

Polyethylene: The influence of molecular weight on the swelling of solution-crystallized ————, 244

Polyethylene: Drawing of virgin ultrahigh molecular weight ————: an alternative route to high strength fibres, 258

Polyethylene: The flow stress of high density ———— at high rates of strain, 307

Polyethylene: Assignment of i.r. band near 680 cm^{-1} in ———— to molecular twist boundaries, 332

Polyethylene: Thermal expansion and Grüneisen parameter of ———— between 5 and 320 K, 364

Polyethylene: Variable temperature and stretching cell from Raman spectroscopy studies of polymers, 383

Polyethylenes: Self-diffusion of long-chain branched ———— in the melt, 359

Poly(ethylene oxide): Effect of electric field on the morphology of a ———— polystyrene blend, 235

Poly(ethylene oxide): pH-regulated photocatalysis with Ti_2/Pt suspension: degradation and polymerization of ———— in aqueous solution, 292

Poly(ethylene terephthalate): Theoretical predictions of compatibility of ———— and poly(butylene terephthalate) blends, 5

Poly(ethylene terephthalate): Thermal lens measurements of thermal conductivity and orientation in ————, 23

Poly(ethylene terephthalate): Molecular orientation and strain in hot-drawn ————, 42

Poly(ethylene terephthalate): Synthesis and characterization of copolyesters from ————, 346

Poly(fumaric acid): Synthesis of high molecular weight ———— and its half esters from tertiary alkyl fumarates, 367
Polyimides: A new synthesis of poly(imidosulphides), 365
Poly(imidosulphides): A new synthesis of ————, 365
Poly(2-isopropenyl pyridine): Study of thermal properties of stereoregular ———— oligomers and polymers, 315
Poly(β-kethothioethers): The Mannich bases in polymer synthesis: 10. Synthesis of ———— and their behaviour towards hydroperoxide reagents, 218
Polymer films: A novel method for the determination of permeation rates in ————, 294
Polymer solvents: Structured, non-aqueous salt solutions: A class of ————, 110
Polymeric matrices: The contrasting phosphorescence decay kinetics of diacetyl and aromatic ketone phosphors in ————, 170
Polymerization: Block copolymers by combinations of cationic and radical routes: 1. A new difunctional azo-oxocarbenium initiator for cationic ————, 7
Polymerization: Molecular mobility studies in polyepoxides obtained by photoinitiated cationic ————, 45
Polymerization: of polysulphone phthalonitriles, 48
Polymerization: Vinyl ———— by carbon black III: Some properties of graft composites from *N*-vinylcarbazole–carbon black ———— system, 122
Polymerization: A note on the paper viscosity changes during urethane ———— with phase separation, 158
Polymerization: Cationic ———— of 3-methoxy-4-benzyloxystyrene, 164
Polymerization: Configurational and conformational requirements for an eventual backbiting of the propagating species in the diolefin ————, 175
Polymerization: New organometallic initiators for the ———— of 2-vinylpyridine, 200
Polymerization: Non-ionic aqueous dispersion ———— of styrene, 226
Polymerization: Synthesis of poly(2-carboxyethylmethylsiloxane), 249
Polymerization: of commerical divinylbenzene mixture, 276
Polymerization: pH-regulated photocatalysis with Ti_2/Pt suspension: degradation and ———— of poly(ethylene oxide) in aqueous solution, 292
Polymerization: Electrochemical ———— of thiophenes containing a methoxy group, 303
Polymerization: Synthesis and radical ———— of vinyl siloxanes, 327
Polymerization: Number of latex particles formed per unit volume of the aqueous phase at 100% conversions in aqueous and emulsion ———— of vinyl monomers, 181
PMMA: Surface layer relaxation in ———— during n-propanol adsorption and desorption: an ellipsometric study, 215
Poly(methyl methacrylate): Granular homocomposites of compression moulded ———— beads, 221
PMMA: Surface free energies and surface compositions of PVC/———— polymer blends, 252
Poly(octa-methylene terephthalate): Radical copolymerization of acrylic monomers: 9. High conversion polymerization of methyl methacrylate in the presence of low concentrations of methyl α-*p*-substituted benzyl acrylates and ————, 342
Polyorganosiloxane: Synthesis of ———— containing amino groups, 139
Polypeptides: Molecular weight determination of ———— from viscosity measurements, 369
Poly(*p*-phenylene): Effect of annealing on electronic conduction in ————, 61
Poly(*p*-phenylene): Properties of highly conducting ———— prepared by an electrochemical method, 356
Poly(*p*-phenylene vinylene): Alkoxy-substituent effect of ———— conductivity, 362
Polypropylene: Ionic products from the mechanical fracture of solid polymers: polyethylene and ————, 142
Polypropylene: Solvent induced crystallization of quenched isotactic ————, 213
Polypropylene: Further observations on impact strength-d.s.c. correlation in mineral-filled ————, 264
Polypropylene dye: Crystallization behaviour of ————–caprolactam system, 118
Polypyrrole: Electrical and optical studies of chemically synthesized ————, 240
Poly(pyrrole): Positron annihilation studies of ———— films, 262
Polysiloxane: The Grüneisen constant of crosslinked ————, 168
Polystyrene: Fluorescence polarization in ———— — comments on a recent communication by Gardette and Phillips, 112
Polystyrene: The effect of a rubbery interfacial layer on the tensile behaviour of ————–glass bead composites, 145
Polystyrene: Effect of temperature on dynamics of isotactic ———— in solution observed by quasi-elastic scattering, 229
Polystyrene: Effect of electric field on the morphology of a poly(ethylene oxide)–———— blend, 235
Polystyrene: Constraint release and self diffusion in polymer melts, 324
Polysulphone phthalonitriles: Polymerization ————, 48
Poly(tetramethylene glycol): Formation of heterogeneous structure in ———— induced by ionic end groups, 28
Polythiophene: The influence of nitric oxide, nitrous oxide and carbon monoxide on the electrical conductivity of ———— and polyacetylene, 103
Polyurethaneureas: Preparation and characterization of trifluoroacetyl derivative of ————, 105
Poly(vinylchloride): Rate of absorption of di-n-butylphthalate in glassy ————, 107
Poly(vinyl chloride): Void generation in partially fused unplasticized ————, 194
PVC: Surface free energies and surface compositions of ————/PMMA polymer blends, 252
Poly(vinyl chloride): Effects of divalent metal strearates on the early stages of the thermal degradation of ————, 371
Poly(4-vinyl pyridine): Laser ionization mass spectrometry of ————, 270
Poly(4-vinyl pyridine): Reverse osmosis salt rejection with quaternized ———— membranes, 300
Poly(vinyl pyrrolidone): Polymer cosolvent system: 5. Influence of the binary solvent on the preferential adsorption behaviour of ————, 149
Positron annihilation in 4-vinyl pyridine methyl methacrylate copolymer, 14
Positron annihilation: studies of polypyrrole films, 262
Positron lifetime: Positron annihilation in 4-vinyl pyridine methyl methacrylate copolymer, 14
Preparation: and characterization of trifluoroacetyl derivative of polyurethaneureas, 105
Propagating species: Configurational and conformational requirements for an eventual backbiting of the ———— in the diolefin polymerization, 175

Quasi-elastic scattering: Effect of temperature on dynamics of isotactic polystyrene in solution observed by ————, 229

Radical distribution function: analysis of sulphur bridged poly(acrylonitrile), 296
Raman frequencies: Strain dependence of the ———— of a Kevlar 49 fibre, 354
Raman spectroscopy: Variable temperature and stretching cell for ———— studies of polymers, 383
Real networks: Segmental orientation in ————, 167
Reduction: Synthesis of polyorganosilixane containing amino groups, 139
Relaxation: The electric birefringence ———— of aqueous polyelectrolyte solutions observed with pulsed rectangular waves of various frequencies, 172
Relaxation: Surface layer ———— in PMMA during n-propanol adsorption and desorption: an ellipsometric study, 215
Relaxation: The ———— of an unattached chain in a crosslinked network: A span analysis of reptation, 337
Relaxations: Transitions and ———— in linear low density polyethylene, 50
Relaxation processes: in crystalline polymers: experimental behaviour, 323
Reptation: Constraint release and self diffusion in polymer melts, 324
Reptation: The relaxation of an unattached chain in a crosslinked network: A span analysis ————, 337
Reverse osmosis: salt rejection with quaternized poly(4-vinyl pyridine) membranes, 300
Rotation of methyl groups in molecular solids and polymers at low temperatures: recent developments, 355
Rubber: Mode of deformation in ————-modified polyamide, 199
Rubber retraction test: The ———— for the measurement of the dispersion of fillers in rubber, 312

Salt rejection: Reverse osmosis ———— with quaternized poly(4-vinyl pyridine) membranes, 300
Scaling theory: of the isotropic-liquid crystalline phase transition in a solution of wormlike polymers, 197
Self diffusion: Constraint release and ———— in polymer melts, 324
Self-diffusion: of long-chain branched polyethylenes in the melt, 359
Silk: Physical properties and structure of ————: 9. Liquid crystal formation of silk fibroin, 60
Silk fibroin: Physical properties and structure of silk: 9. Liquid crystal formation of ————, 60
Single crystals: of poly(ether-ether-ketone) (PEEK), 322

Small-angle X-ray scattering: The crystallite size and lattice distortions in the chain direction of orradiated poly(aryl-ether-ketone), 16
Small-angle X-ray scattering: Formation of heterogeneous structure in poly(tetramethylene glycol) induced by ionic end groups, 28
Small-angle X-ray scattering: Analysis of ———— data from ionomer systems, 371
Sol–gel transition: Evolution of the permeability during the ————, 210
Solution grown crystals: Neutron scattering of annealed ————; molecular dimensions, 204
Solvation: Structured, non-aqueous salt solutions: A class of polymer solvents, 110
Spherulites: Single crystals of poly(ether-ether-ketone) (PEEK), 322
Star-branched polymers: Temperature dependence of the diffusion coefficient of entangled linear and ————, 2
Stejskal and Gatowsky model: Rotation of methyl groups in molecular solids and polymers at low temperatures: recent developments, 355
Strain: Molecular orientation and ———— in hot-drawn poly(ethylene terephthalate), 42
Strain: The flow stress of high density polyethylene at high rates of ————, 307
Strain dependence: of the Raman frequencies of a Kevlar 49 fibre, 354
Stretching cell: Variable temperature and ———— for Raman spectroscopy studies of polymers, 383
Structure: Physical properties and ———— of silk: 9. Liquid crystal formation of silk fibroin, 60
Structure: The ———— of crystalline PEK, 283
Structure: The ———— of liquid crystalline copolyesters prepared from 4-hydroxybenzoic acid, 2,6-dihydroxy naphthalene, and terephthalic acid: 2. Atomic models for the copolymer chains, 348
Styrene: Non-ionic aqueous dispersion polymerization of ————, 226
Surface compositions: Surface free energies and ———— of PVC/PMMA polymer blends, 252
Surface free energies: and surface compositions of PVC/PMMA polymer blends, 252
Swelling: the influence of molecular weight on the ———— of solution-crystallized polyethylene, 244
Swelling: Analysis of SAXS data from ionomer systems, 371
Swelling agent: Study of the molecular mobility in swollen poly(epichlorohydrin): 1. Nonpolar ————, 387
Swelling equilibrium: Studies of cyclic and linear poly(dimethylsiloxanes): 17. Elastomeric properties of model PDMS networks containing either cyclics of linear chains as diluent, 55
Synthesis: of polyorganosiloxane containing amino groups, 139
Synthesis: Polymers based on *p*-aminophenol: 4. ———— and properties of polyamide-imide-urethanes from 4-carboxy-*N*-(*p*-hydroxy-phenyl) phthalimide, 179
Synthesis: The Mannich bases in polymer ————: 10. Synthesis of poly(*β*-ketothioethers) and their behaviour towards hydroperoxide reagents, 218
Synthesis: of poly(2-carboxyethylmethyl-siloxane), 249
Synthesis: and radical polymerization of vinyl siloxanes, 327
Synthesis: of high molecular weight poly(fumaric acid) and its half esters from tertiary alkyl fumarates, 367
Synthesis: A new ———— of poly(imidisulphides), 365
Synthesis: and characterization of copolyesters from poly(ethylene terephthalate), 446

Temperature dependence of the diffusion coefficient of entangled linear and star-branched polymers, 2
Temperature variation: of the thermal conductivity of Kevlar. 132
Tensile behaviour: The effect of a rubbery interfacial layer on the ———— of polystyrene–glass bead composites, 145
Terephthalic acid: The structure of liquid crystalline copolyesters prepared from 4-hydroxybenzoic acid, 2-6-dihydroxy naphthalene, and ————: 2. Atomic models for the copolymer chains, 348
Thermal conductivity: Thermal lens measurements of ———— and orientation in polyethylene terephthalate, 23
Thermal conductivity: Temperature variation of the ———— of Kevlar, 132
Thermal decomposition: Kinetics of the ———— of hindered phenols, 280
Thermal degradation: Effects of divalent metal stearates on the early stages of the ———— of poly(vinyl chloride), 371
Thermal expansion: and Grüneisen parameter of polyethylene between 5 and 320 K, 364
Thermal lens measurements of thermal conductivity and orientation in poly(ethylene terephthalate), 23
Thermal properties: Study of ———— of stereoregular poly(2-isopropenyl pyridine) oligomers and polymers, 315
Thermogravimetric analysis: of silicon carbide–silicon nitride precursors: polycarbosilazene derived from tris(*N*-methylamino) phenylsilane, 260
Thermogravimetry: Polymerization og polysulphone phthalonitriles, 48
Thermosets: Network structure of epoxies: 1. A neutron scattering study, 39
Thermotropic: N.m.r. study of the chain orientation and molecular motions in rigid-chain ———— copolyesters, 34
Thiophenes: Electrochemical polymerization of ———— containing a methoxy group, 303
Tie molecules: Infra-red evidence of ———— in oriented polyamide films, 130
Transitions: and relaxations in linear low density polyethylene, 50
Trapping: Studies of cuclic and linear poly(dimethylsiloxanes). 16. ———— of cyclics present during the end-linking of linear chains into network structures, 53
Tris(*N*-methylamino)phenylsilane: Thermogravimetric analysis of silicon carbide–silicon nitride precursors: polycarbosilazene derived from ————, 260
Tunnelling: Rotation of methyl groups in molecular solids and polymers at low temperatures recent developments, 355

Unperturbed dimensions: Dynamical studies on low molecular weight polyacrylamide aqueous solution, 397
Universal reduction: of static light scattering data for flexible polymers in dilute solutions, 101
Urethane: A note on the paper viscosity changes during ———— polymerization with phase separation, 158

2-Vinylpyridine: New organometallic initiarors for the polymerization of ————, 200
4-Vinyl pyridine methyl methacrylate: Positron annihilation in ———— copolymer, 14
Vinyl siloxanes: Synthesis and radical polymerization of ————, 327
Viscoelastic behaviour: Transitions and relaxations in linear low density polyethylene, 50
Viscosity changes: A note on the paper ———— during urethane polymerization with phase separation, 158
Viscosity measurements: Molecular weight determination of polypeptides from ————, 369
Void generation: in partially fused unplasticized poly(vinyl chloride), 194

Water effects: on polycarbonate, 339
Water system: Die swell of lyotropic liquid crystal: hydroxypropyl cellulose/ ————, 335
Wormlike polymers: Scaling theory of the isotropic-liquid crystalline phase transition in a solution of ————, 197

X-ray diffraction: The meridional ———— pattern of oriented liquid crystal copolymers, 9
X-ray diffraction: The structure of liquid crystalline copolyesters prepared from 4-hydroxybenzoic acid, 2,6-dihydroxy naphthalene, and terephthalic acid: 2. Atomic models for the copolymer chains, 348